



| Sample Name | B-01 | B-02 | B-03 | B-05 | B-06 | B-07 | B-09 | B-11 | B-12 | B-13 | B-14 | B-15 | B-16 | B-17 | B-18 | B-19 | B-20 | C-08 | C-10 | WB-01 | WB-02 | WB-03 | WB-04 | WB-05 | WB-06 | WB-07 | WB-08 | WB-09 | WB-10 | WB-11 | WB-12 | SN- BERTH-1 | SN- BERTH-2 | SN- BERTH-4 |
|-------------------|--------------------------------|------|------|------|------|------|------|---------|------|------|------|-------|------|------|------|------|------|------|------|--------|-------|-------|-------|-------|---------|---------|-------|-------|-------|-------|---------|----------------|----------------|----------------|
| Date of Retrieval | Benzene Sample Results (ug/m3) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 11/19/2020 | 0.37 | 0.53 | 0.61 | 2.50 | 0.64 | 0.86 | 0.87 | 3.04 | 1.45 | 3.41 | 2.66 | 2.20 | 1.62 | 2.59 | 1.78 | 1.56 | 0.51 | 0.84 | 7.29 | 1.18 | 1.47 | 1.37 | 1.76 | 1.57 | 1.51 | 1.34 | 1.05 | 1.36 | 1.02 | 0.81 | 0.87 | 3.50 | 2.03 | 1.76 |
| 12/3/2020 | 1.04 | 1.08 | 1.28 | 3.83 | 1.15 | 1.02 | 1.69 | 2.21 | 1.78 | 2.38 | 3.02 | 2.68 | 3.17 | 2.96 | 2.84 | 2.67 | 1.35 | 1.19 | 1.46 | 9.99 | 1.22 | 1.54 | 3.95 | 1.19 | 1.48 | 1.01 | 1.06 | 1.53 | 0.93 | 1.22 | 3.56 | 2.14 | 1.45 | 1.52 |
| 12/17/2020 | 0.84 | 0.92 | 1.86 | 4.06 | 3.35 | 1.69 | 2.27 | 3.22 | 1.75 | 1.59 | 1.46 | 2.11 | 1.51 | 1.46 | 1.44 | 1.67 | 1.30 | 2.00 | 3.15 | 5.22 | 1.59 | 2.43 | 1.13 | 1.10 | 0.95 | 0.83 | 0.83 | 0.97 | 0.85 | 1.08 | 4.83 | 1.71 | 1.95 | 1.65 |
| 12/30/2020 | 1.39 | 1.22 | 1.71 | 2.83 | 1.69 | 1.80 | 1.89 | 3.42 | 1.88 | 1.45 | 2.76 | 4.53 | 2.90 | 2.46 | 3.33 | 2.99 | 1.15 | 1.79 | 2.40 | 4.92 | 2.17 | 3.44 | 1.50 | 1.74 | 1.54 | 1.62 | 1.30 | 1.59 | 1.57 | 1.63 | 3.24 | 2.99 | 1.92 | 1.78 |
| 1/14/2021 | 1.74 | 1.16 | 2.71 | 3.58 | 1.55 | 1.89 | 2.27 | 4.35 | 2.11 | 2.83 | 3.18 | 4.06 | 2.20 | 1.04 | 1.92 | 1.91 | 0.93 | 0.87 | 1.09 | 2.79 | 2.05 | 1.94 | 1.80 | 1.22 | 0.97 | 1.06 | 1.35 | 0.99 | 0.95 | 0.84 | 1.42 | 2.92 | 4.48 | 1.38 |
| 1/28/2021 | 1.01 | 1.63 | 2.20 | 2.29 | 1.53 | 1.75 | 2.50 | Missing | 1.98 | 2.24 | 2.17 | 2.86 | 1.56 | 1.47 | 1.68 | 2.54 | 1.74 | 1.72 | 2.24 | 1.94 | 2.47 | 1.36 | 1.15 | 1.31 | 0.98 | Missing | 0.90 | 1.00 | 1.23 | 1.24 | 1.31 | 2.05 | 2.25 | 1.59 |
| 2/10/2021 | 1.34 | 1.13 | 1.60 | 3.54 | 1.64 | 1.35 | 2.57 | Missing | 2.37 | 2.77 | 2.58 | 2.70 | 2.73 | 2.53 | 2.09 | 1.59 | 0.75 | 2.54 | 2.53 | 19.40 | 0.97 | 1.47 | 3.37 | 2.21 | 2.31 | Missing | 1.73 | 2.08 | 1.65 | 1.87 | 2.69 | 2.15 | 1.92 | 2.13 |
| 2/25/2021 | 0.82 | 0.57 | 0.76 | 4.53 | 0.89 | 1.74 | 1.13 | 3.81 | 2.98 | 2.46 | 2.50 | 2.56 | 2.25 | 2.20 | 1.59 | 1.42 | 0.68 | 0.91 | 4.94 | 2.90 | 1.35 | 2.23 | 1.92 | 1.94 | 0.85 | 0.63 | 0.85 | 1.23 | 1.38 | 1.21 | 1.04 | 2.65 | 3.73 | 1.93 |
| 3/11/2021 | 0.93 | 0.89 | 1.24 | 2.54 | 1.02 | 2.01 | 4.39 | 8.21 | 1.96 | 3.94 | 3.34 | 5.84 | 3.52 | 2.12 | 3.40 | 2.81 | 1.56 | 2.86 | 0.96 | 0.94 | 0.98 | 0.87 | 1.14 | 1.15 | 0.97 | 2.80 | 0.86 | 1.20 | 1.04 | 1.79 | 2.05 | 4.15 | 1.31 | 2.03 |
| 3/26/2021 | 1.99 | 1.92 | 1.60 | 2.79 | 1.88 | 1.92 | 4.56 | 5.01 | 1.61 | 2.87 | 3.92 | 3.75 | 2.50 | 2.30 | 3.67 | 0.44 | 0.82 | 2.51 | 3.13 | 5.97 | 1.89 | 5.03 | 2.94 | 2.24 | 2.81 | 2.08 | 0.77 | 2.61 | 1.68 | 2.04 | 2.22 | 2.98 | 1.85 | 2.03 |
| 4/9/2021 | 1.80 | 1.83 | 1.85 | 3.12 | 1.98 | 2.51 | 3.36 | 3.69 | 2.40 | 4.47 | 1.95 | 7.13 | 3.58 | 2.44 | 3.33 | 2.17 | 1.72 | 2.47 | 3.17 | 100.00 | 1.83 | 1.62 | 1.84 | 1.60 | 1.93 | 1.01 | 0.87 | 1.10 | 1.18 | 1.59 | 14.30 | 2.80 | 2.89 | 1.39 |
| 4/22/2021 | 1.78 | 1.47 | 1.79 | 3.80 | 2.50 | 1.80 | 9.14 | 4.13 | 3.57 | 6.12 | 3.42 | 4.44 | 4.34 | 3.58 | 3.86 | 3.33 | 1.49 | 3.58 | 6.12 | 4.89 | 2.58 | 1.50 | 2.09 | 1.66 | 1.50 | 1.67 | 1.17 | 2.13 | 1.20 | 2.22 | 2.09 | 2.81 | 2.82 | 1.93 |
| 5/6/2021 | 0.92 | 0.68 | 1.20 | 1.50 | 0.81 | 0.75 | 2.70 | 2.70 | 1.20 | 2.50 | 1.65 | 5.30 | 2.20 | 1.70 | 2.50 | 2.70 | 1.30 | 2.20 | 2.00 | 21.00 | 1.70 | 1.10 | 0.82 | 0.64 | 0.59 | 0.59 | 0.48 | 0.63 | 0.54 | 1.30 | 13.00 | 1.80 | 1.10 | 0.87 |
| 5/20/2021 | 0.44 | 0.40 | 0.44 | 1.40 | 0.71 | 0.73 | 1.80 | 2.00 | 0.94 | 1.90 | 2.80 | 3.90 | 2.40 | 1.20 | 4.10 | 3.20 | 0.86 | 1.00 | 1.90 | 4.10 | 0.59 | 0.92 | 1.00 | 0.83 | 0.76 | 0.60 | 0.47 | 0.50 | 0.60 | 1.10 | 2.70 | 1.30 | 0.84 | 0.90 |
| 6/3/2021 | 0.45 | 0.69 | 1.60 | 1.20 | 0.59 | 0.75 | 1.30 | 3.60 | 1.10 | 1.60 | 4.40 | 2.60 | 2.10 | 1.20 | 4.20 | 3.10 | 0.64 | 0.90 | 1.50 | 25.00 | 1.70 | 2.50 | 1.40 | 0.97 | 0.54 | 0.63 | 0.38 | 1.10 | 3.40 | 4.90 | 8.30 | 1.30 | 0.77 | 0.71 |
| 6/17/2021 | 0.58 | ND | 1.90 | 1.60 | 0.80 | 0.93 | 1.80 | 12.00 | 0.85 | 4.20 | 1.30 | 3.00 | 1.30 | 1.10 | 1.50 | 1.80 | 0.96 | 0.99 | 2.40 | 15.00 | 1.60 | 2.00 | 1.20 | 0.79 | 0.53 | 0.62 | 0.42 | 0.44 | 0.51 | 0.86 | 3.00 | 6.30 | 0.98 | 0.61 |
| 7/1/2021 | 0.51 | 0.85 | 1.40 | 0.85 | 0.49 | 0.55 | 2.30 | 2.60 | 0.85 | 0.96 | 2.50 | 3.30 | 1.90 | 1.60 | 3.30 | 2.10 | 0.50 | 0.88 | 1.20 | 7.90 | 1.10 | 0.60 | 0.56 | 0.58 | 0.50 | 0.45 | 0.51 | 0.53 | 0.65 | 1.30 | 2.80 | 0.99 | 1.10 | 0.67 |
| 7/15/2021 | 0.68 | 0.89 | 1.90 | 1.70 | 0.81 | 0.73 | 2.40 | 4.30 | 1.10 | 0.94 | 4.35 | 14.00 | 1.90 | 1.00 | 1.90 | 2.00 | 0.55 | 0.92 | 1.60 | 6.20 | 1.00 | 0.68 | 0.59 | 0.52 | 0.54 | 0.53 | 0.44 | 0.51 | 0.50 | 0.86 | 2.00 | 1.20 | 1.10 | 0.90 |
| 7/29/2021 | 0.58 | 0.87 | 2.20 | 2.20 | 1.80 | 1.70 | 2.90 | 17.00 | 0.87 | 0.81 | 2.20 | 3.90 | 1.90 | 1.10 | 1.40 | 1.40 | 0.52 | 1.50 | 3.50 | 6.30 | 1.90 | 1.20 | 0.89 | 0.84 | 0.77 | 0.68 | 0.56 | 0.48 | 0.47 | 0.82 | 1.20 | 1.10 | 1.00 | 0.59 |
| 8/12/2021 | 0.71 | 0.78 | 2.30 | 3.00 | 1.50 | 1.50 | 2.20 | 6.20 | 0.99 | 0.99 | 0.92 | 1.40 | 1.10 | 1.10 | 1.80 | 1.60 | 0.62 | 1.50 | 2.30 | 9.50 | 1.60 | 1.80 | 1.30 | 0.87 | 1.10 | 0.64 | 0.47 | 0.52 | 0.54 | 0.71 | 2.20 | 1.40 | 1.00 | 0.80 |
| 8/26/2021 | 0.51 | 0.71 | 1.50 | 2.30 | 0.90 | 1.10 | 2.00 | 6.30 | 0.95 | 1.50 | 1.15 | 1.70 | 1.10 | 1.20 | 2.20 | 1.80 | 0.58 | 1.40 | 2.20 | 8.40 | 1.90 | 2.30 | 1.50 | 1.10 | 0.82 | 0.74 | 0.50 | 0.56 | 0.69 | 0.81 | 1.70 | 1.30 | 0.94 | 0.82 |
| 9/9/2021 | 0.55 | 2.80 | 4.60 | 5.60 | 3.80 | 5.10 | 3.40 | 5.10 | 2.40 | 2.70 | 3.20 | 2.60 | 3.00 | 2.10 | 2.80 | 2.70 | 1.40 | 3.70 | 1.00 | 2.40 | 2.00 | 1.90 | 2.30 | 1.60 | Missing | 2.20 | 3.90 | 4.30 | 2.40 | 1.70 | Missing | 2.60 | 2.20 | 0.81 |
| 9/23/2021 | 0.34 | 0.42 | 0.79 | 2.40 | 0.51 | 1.50 | 1.00 | 2.10 | 0.78 | 2.30 | 5.95 | 4.30 | 2.80 | 3.40 | 1.60 | 0.36 | 1.80 | 3.10 | 1.30 | 1.30 | 1.10 | 1.10 | 0.97 | 1.10 | 0.80 | 0.79 | 0.38 | 0.96 | 0.98 | 1.80 | 1.60 | 1.60 | 0.59 | |
| 10/7/2021 | 0.38 | 0.31 | 0.64 | 1.70 | 1.00 | 1.10 | 2.20 | 5.50 | 1.80 | 2.20 | 2.65 | 3.40 | 1.90 | 2.00 | 2.90 | 2.60 | 0.46 | 1.50 | 4.20 | 10.00 | 0.90 | 3.40 | 2.40 | 1.70 | 1.10 | 1.10 | 0.63 | 0.69 | 0.68 | 0.85 | 2.60 | 1.80 | 1.50 | 1.25 |
| 10/21/2021 | 0.54 | 0.39 | 0.72 | 1.90 | 0.81 | 0.89 | 1.80 | 4.40 | 1.90 | 3.10 | 3.50 | 4.70 | 1.80 | 2.20 | 3.40 | 2.70 | 0.84 | 1.80 | 2.80 | 3.30 | 0.81 | 0.88 | 0.86 | 0.74 | 0.65 | 0.72 | 0.65 | 0.65 | 0.64 | 0.96 | 2.10 | 3.80 | 2.10 | 1.50 |
| 11/4/2021 | 0.58 | 0.56 | 1.70 | 2.80 | 1.40 | 1.20 | 1.70 | 3.80 | 1.70 | 2.60 | 2.70 | 2.80 | 3.40 | 1.10 | 2.50 | 1.70 | 0.62 | 1.50 | 3.10 | 19.00 | 30.00 | 7.50 | 2.30 | 1.70 | 1.70 | 3.10 | 1.20 | 1.70 | 2.10 | 2.80 | 13.00 | 2.20 | 1.70 | 1.25 |

| | |
|--------------------|-------|
| Period ΔC* | 29.44 |
| Annual Average ΔC* | 13.28 |

*Period ΔC is based on the most-recent 14-Day sampling period, and Annual Average ΔC is a rolling average of the 26 previous 14-Day sampling periods.